

AGROSAL d.o.o.



15LD



AGROSAL d.o.o.

Gregorčičeva ulica 38, 5270 Ajdovščina
telefon: 05 368 90 96, fax: 05 368 90 97
e-mail: info@agrosal.si, www.agrosal.si

**LOMBARDINI**

A KOHLER COMPANY

Group: 15LD

Engine: 15LD 225 Drawing: A


INTAKE AND EXHAUST

POS.	CODE	DESCRIPTION	Qty
8	9800.055	screw M 8 X 30	2
8a	9800.154	screw M 8 X 45	2
11	9820.172	self-tapping screw 4 X 20	4
15	6927.318	muffler guard (inlet side)	1
16	5460.585	eXhaust muffler	1
16	5460.586	MUFFLER ASS.Y	1
17	6927.319	muffler guard (outlet side)	1
17a	«-----»	muffler guard (outlet side) - not avail.	0
18	4490.093	air cleaner gasket	1
27	3240.165	nut M 8	2
28	9790.037	screw M 6 X 8	4
29	7555.027	washer diam. 6,4	4
30	9732.074	screw M 8 X 20	1
31	3630.156	clamp diam.20-32	1
31a	3630.221	clamp diam. 35	1
32	9602.151	spark arrestor guard	1
37	3700.386	AIR CLEANER (diam.105)	1
38	5496.225	filt.element	1
39	1261.097	seal ring	1
40	4775.522	gasket	1
41	5496.220	filt.element	1
42	5496.342	filt.element	1
43	1770.005	bolt M 8 X 1,25 X 22	2
44	3902.331	flange	1
45	4500.067	gasket	1
46	7565.007	washer diam. 8	2
47	9732.074	screw M 8 X 20	2
48	3700.374	air cleaner diam. 122 with 3 filt.elements	1
49	2125.055	prefilter cap	1
50	1301.053	cyclonic prefilter (Ø 120)	1
51	3200.002	wing nut M 6	1
52	7625.092	washer diam. 6,5	1
53	4775.137	gasket	1
54	4501.148	gasket	1
55	4490.095	air cleaner gasket	1
60	«-----»	see Pos A61	2
61	2750.396	air cleaner cover	1
62	2175.180	air clean.cartridge	1
63	9732.074	screw M 8 X 20	2
64	8836.267	air cleaner support	1
65	5460.601	upward muff	1
65a	5460.603	SIDE EXHAUST MUFFLER	1
66a	9170.109	raider eXhaust pipe	1
66a	9170.127	eXhaust pipe with spark arrester	1
66c	9170.130	eXhaust pipe	1
67	9170.110	eXhaust pipe	1
70	3902.339	glow plug flange	1
71	2100.089	preheating glow plug 12 V	2
72	2185.856	glow plug connctection wire	1
73	3815.101	eXhaust flange	1
74	6370.323	glow plug plate	1
77	6927.493	air inlet guard	1
78a	6560.040	air cleaner cover fiXing knob	1

INTAKE AND EXHAUST

POS.	CODE	DESCRIPTION	Qty
79	2750.444	DRY AIR CLEANER COVER ASS.Y	1
81	2940.101	inlet air elbow	1
82	3200.024	wing nut	1
83	2175.268	air clean.cartridge	1
84	6760.111	stud M 6 X 42	1
85	2836.340	air cleaner body	1
86	8741.195	AIR CLEANER SUPPORT ASS.Y	1
86	8741.205	AIR CLEANER SUPPORT ASS.Y fitted for dust indicator	1
87	6727.051	prefilter holder	1
88	6727.052	cyclonic prefilter	1
89	9820.168	self-tapping screw 3,9 X 9,5	13
90	4490.098	joint	1
91	«-----»	plug - see Pos. A 86	0
96	2136.072	filter cap (4'' air cleaner)	1
97	3700.369	dry air cleaner 4''	1
98	2175.166	air cleaner cartridge 4''	1
99	3781.021	air filter flange	1
100	8545.551	bracket diam.129 for air cleaner 4''	1
113	8345.067	closing indicator	1
114	7500.020	washer diam. 8,4	1
116	7625.010	washer diam. 8	2
117	9730.026	screw M 8 X 20	1
118	3902.386	flange	1

A
15LD



**LOMBARDINI**

A KOHLER COMPANY

Group: 15LD

Engine: 15LD 225 Drawing: B

CONN.ROD/PISTON/CRANKSHAFT/FLYWHEEL/CRANKCASE/FLANGING


POS.	CODE	DESCRIPTION	Qty
1	8211.251	ring set std.	1
1	8211.252	ring set +0,50	1
1	8211.253	ring set +1,00	1
2	6501.538	PISTON SET std	1
2	6501.539	PISTON SET +0,50	1
2	6501.540	PISTON SET +1,00	1
2	6502.862	PISTON SET std (15LD 225/S version)	1
2	6502.863	PISTON SET +0,50 (15LD 225/S version)	1
2	6502.864	PISTON SET +1,00 (15LD 225/S version)	1
3	1160.057	circlip	2
4	8480.099	gudgeon pin	1
5	1526.196	CONNECT.ROD std.	1
5	1526.207	CONNECT.ROD -0,25	1
5	1526.208	CONNECT.ROD -0,50	1
7	1770.161	bolt M 7 X 1 X 40	2
8	9080.132	plug diam. 6	1
9	1050.986	CONICAL PTO CRANKSHAFT without equalizer device	1
9a	1050.992	CRANKSHAFT EXT 3 SAE without equalizer device	1
10	«-----»	see Pos. 9/14	0
11	2280.067	key 5 X 7,5 X 19	1
11a	2280.050	key 6,32 X 6,32 X 60	1
13	«-----»	see Pos. 14	0
14	1050.987	CONICAL PTO CRANKSHAFT with equalizer device	1
14a	1050.993	CRANKSHAFT EXT 3 SAE with equalizer device	1
15	1200.035	O ring 107	1
16	7625.060	washer diam. 8,4	1
17	1170.039	bolt M 8 X 1,25 X 28	1
18	9730.024	screw M 8 X 16	2
18a	9080.270	threaded plug M 8	3
19	3800.037	flange	1
20	4400.075	gasket	1
21	1970.140	sleeve	2
22	6645.567	CRANKCASE COVER	1
23	9732.063	screw M 8 X 35	14
24	1611.196	bearing std.	1
24	1611.197	bearing -0,25	1
24	1611.198	bearing -0,50	1
24	1611.199	bearing -1,00	1
25	1213.345	seal ring 28X40X7	1
25	1213.514	double lip type seal ring 28X40X7	1
26	4775.555	gasket	1
27	1111.206	equalizer shaft	1
28	3002.077	equalizer shaft ball bearing	2
29	6780.175	stud M 8 X 52	1
30	1510.820	crankcase (fitted for feed pump and el.starting)	1
30	1510.821	crankcase with side filler oil starting motor side (for feed pump)	1
30	1511.099	crankcase with side filler oil on feed pump flange (for el.st.)	1
31	9732.041	screw M 10 X 18	2
32	3800.058	flange	1
33	9881.217	FLYWHEEL with CROWN	1
33	9881.253	FLYWHEEL ASS.Y with crown and plastoferrite rotor 12V 12/20A	1
34	2816.107	crown gear Z=91	1
35	«-----»	see Pos. F 40	0

Group: 15LD

Engine: 15LD 225 Drawing: B

CONN.ROD/PISTON/CRANKSHAFT/FLYWHEEL/CRANKCASE/FLANGING

POS.	CODE	DESCRIPTION	Qty
37	1800.030	bolt M 14 X 35 sin.	1
38	7626.043	washer diam.14,5	1
39	9881.216	flywheel std.	1
39	9881.255	FLYWHEEL WITH ROTOR ASSEMBLED	1
40	1213.351	seal ring 35X52X7	1
41	6780.175	stud M 8 X 52	1
42	4350.007	gasket	2
43	1970.338	bushing	2
44	3002.079	ball bearing 6207-C3 35X72X21	1
45	9040.012	plug M 14	2
46	395R.015	suction oil filter	1
47	9765.108	screw M 10	2
47	9765.162	screw M 10 X 1	2
48	«-----»	see Pos. 28	0
49	9032.086	filler oil cap	1
50	1200.082	O ring 3106	1
51	9730.010	screw M 6 X 16	2
52	1570.059	oil filler	1
53	1201.084	O ring 2093	1
54	6260.038	flanging plate	1
57	3800.064	flange for side filler oil	1
58	4400.078	joint	1
79	7625.007	washer diam. 6	2
112	8965.048	plug M 10	1
113	4670.059	copper gasket diam.10	1



**LOMBARDINI**

A KOHLER COMPANY

Group: 15LD

Engine: 15LD 225 Drawing: D

CONTROLS/LUBRICATING SYSTEM

POS.	CODE	DESCRIPTION	Qty
1	3200.002	wing nut M 6	1
2	7625.007	washer diam. 6	1
4	1200.041	O ring 103/2018	1
6	3240.008	nut M 6	2
7	9180.191	adjuster M 6	2
11	3240.063	nut M 10	1
12	8576.072	eXtra fuel device	1
12a	8576.114	locked torque device (EPA)	1
13	6760.047	stud M 6 X 16	1
14	1200.041	O ring 103/2018	1
15	7625.105	washer diam. 8,2	1
16	1240.002	circlip diam. 8	1
17	«-----»	see Pos. 9/41/60	0
22	3240.008	nut M 6	1
25a	3300.237	nut (EPA type)	1
26	1760.027	bolt M 6 X 40 (maXimum)	1
26a	«-----»	screw M 6 X 40 (EPA)	0
27	7625.105	washer diam. 8,2	1
28	1240.002	circlip diam. 8	1
29	«-----»	see Pos. 9/41/60	0
31	3240.008	nut M 6	1
33	5655.191	gover.spring 3000 R.P.M.	1
33	5655.220	gover.spring 3000->3600 R.P.M.	1
33	5655.374	gover.spring 1500/2200 R.P.M.	1
37	1760.027	bolt M 6 X 40 (minimum)	1
38	5830.119	nut	2
39	7565.004	washer diam. 6	1
44	9790.030	screw M 6 X 30	1
45	7565.004	washer diam. 6	1
46	7626.047	washer diam. 6,2	1
48	5655.230	stop lever recovery spring	1
56	3240.008	nut M 6	1
57	7565.004	washer diam. 6	1
58	«-----»	see Pos. 60	0
59	9730.337	screw M 6 X 16	2
59a	9730.012	screw M 6 X 20	2
60	2750.405	ACCEL.- STOP GOVERNOR COVER ASS.Y	1
61	4431.198	gasket	1
62	«-----»	see Pos. 60	0
64	5201.286	governor lever	1
64a	5201.287	governor lever	1
65	5801.582	eXtra fuel spring	1
66	«-----»	see Pos. 60/99/99a	0
67	5202.100	governor lever	1
68	«-----»	sleeve - see Pos. D 67	0
69	5200.973	control lever	1
70	5600.042	spring	1
71	5200.975	internal control lever	1
75	1400.285	dipstick	1
76	9730.010	screw M 6 X 16	2
77	9220.113	OIL FILTER HEAD	1
78c	4400.072	gasket	1
79	«-----»	key 3X3,7X10	0


Group: 15LD

Engine: 15LD 225 Drawing: D

CONTROLS/LUBRICATING SYSTEM

POS.	CODE	DESCRIPTION	Qty
80	6605.090	oil pump	1
81	8965.048	plug M 10	1
82	4670.059	copper gasket diam.10	1
83	2175.181	oil filter cartridge	1
86	1111.225	oil pump shaft	1
87	9730.010	screw M 6 X 16	2
88	8836.210	oil pump support	1
89	7770.172	roller 3 X 15,8	1
90	1770.001	bolt M 8 X 1,25 X 12	1
91	8245.019	gov.ball diam. 5,5	1
95	8510.152	bracket	1
95	8510.170	bracket (AMMANN version)	1
96	«-----»	guard - no longer avail. - see pos. D 96a/D 96b	0
96	6927.502	guard for remote control ass.y monolever pos. 99a	1
96a	6927.659	guard for engine with fuel pump	1
96b	6927.660	guard for engine without fuel pump	1
97	«-----»	see Pos. 99/99a	0
99	2750.409	REMOTE ACCEL.- STOP GOVERNOR COVER ASS.Y	1
99a	2750.403	REMOTE CONTROL ASS.Y MONOLEVER	1
100	5625.021	pressure valve spring	1
103	«-----»	see Pos. 99a/99b	0
105	7625.010	washer diam. 8	1
114	7555.004	washer diam. 6	2
116	2145.037	cap	1
117	«-----»	copper gasket diam. 8,2X12X1,5	0
118	926A.155	tie rod	1
119	1760.163	holed screw M 6 X 1	1
120	4670.058	copper gasket diam. 8,2X12X1	1

D
15LD



**LOMBARDINI**

A KOHLER COMPANY

Group: 15LD

Engine: 15LD 225 Drawing: F


COOLING SYSTEM/STARTING

POS.	CODE	DESCRIPTION	Qty
1	5066.315	rear panel	1
2	9730.338	screw M 6 X 8	3
3	5066.310	side panel	1
4	9865.122	screw M 6 X 12	1
5	9732.084	screw M 6 X 12	5
5a	9731.030	screw M 8 X 12	2
6	2569.654	shroud (grey)	1
6	2569.655	shroud (red)	1
7	2501.208	hollowstud	4
8	7986.039	denoised guard	1
9	7625.007	washer diam. 6	4
9a	7555.004	washer diam. 6	3
10	9732.084	screw M 6 X 12	4
13	7951.173	guard housing	1
14	4904.038	handle ass.y	1
15	«-----»	see Pos. 22	0
16	5025.097	tooth	1
17	5660.066	recovery spring	1
18	5590.026	thrust spring	1
19	«-----»	see Pos. 22	0
21	6961.108	pulley	1
22	1472.057	REWIND STARTING	1
22	1472.058	REWIND STARTING	1
23	7625.007	washer diam. 6	4
24	9730.309	screw M 6 X 8	4
25	5801.539	spiral spring	1
26	7100.377	recoil pulley	1
27	5025.097	tooth	1
28	7980.063	cup	1
29	9732.064	screw M 8 X 30	3
30	9730.010	screw M 6 X 16	3
30	992R.046	screw M 6 X 22	3
32	7362.228	voltage regulator. 12V 14/26A-6 contacts for alternator 3 wires	1
32	7362.294	volt.regulator 12V 21A fitted for electronic tachometer - 6+W c	1
32	7362.298	voltage regul.12 V maX 30 A - 5 contacts for alt.2 wires	1
33	2145.014	regulator cap	1
34	9732.041	screw M 10 X 18	2
35	3800.047	flange	1
38	1557.103	wire connection	1
40	7750.109	plastoferite rotor 12 V 12/20 A	1
41	8565.083	stator for alternator 2 wires 12V 30A (for ceramic rotor)	1
41	8565.107	stator for alternator 2 wires 12V 20A (for ceramic rotor)	1
41b	8565.113	alternator stator 12 V 12 A - 3 wires	1
42	5041.267	oil switch (M 10)	1
42	6745.052	pressure oil switch M 10 1,4 bar - brown	1
43	4670.059	copper gasket diam.10	1
45	5041.020	key switch	1
46a	7245.423	electr.panel 12 V	1
46b	7245.438	electr.panel 12 V	1
47	2185.882	eXtension wire	1
48	2185.907	wiring harness for batt.light and oil warn.	1
49	992R.024	screw M 10 X 25	2
50	5840.226	starting motor 12 V	1

COOLING SYSTEM/STARTING

POS.	CODE	DESCRIPTION	Qty
50	5840.227	starting motor 24 V	1
51	9195.520	oil thermostat twin contacts	1
56	7565.007	washer diam. 8	3
57	9730.340	screw M 5 X 10	1
64	9730.325	screw M 5 X 10	4
66	7565.007	washer diam. 8	1
67	3240.018	nut M 8	1
68	7625.008	washer diam. 6,4	1
69	7555.004	washer diam. 6	1
70	3240.009	nut	1
75	6275.154	plate	1

F
15LD



**LOMBARDINI**

A KOHLER COMPANY


Group: 15LD

Engine: 15LD 225 Drawing: G


CRANKSHAFT/SHORT BLOCK TABLE

POS.	CODE	DESCRIPTION	Qty
1	1050.986	CONICAL PTO CRANKSHAFT without equalizer device	1
1	1050.987	CONICAL PTO CRANKSHAFT with equalizer device	1
2	1050.992	crankshaft EXt 3 SAE without equalizer device	1
2	1050.993	crankshaft EXt 3 SAE with equalizer device	1
3	1050.988	crankshaft EXt 4 SAE without equalizer device	1
3	1050.989	crankshaft EXt 4 SAE with equalizer device	1
4	1050.990	crankshaft EXt 6 SAE without equalizer device	1
4	1050.991	crankshaft EXt 6 SAE with equalizer device	1
5	1051.101	crankshaft EXt 7 SAE without equalizer device	1
5	non cod.	crankshaft EXt 7 SAE with equalizer device	0
6	1051.102	crankshaft EXt 8 SAE without equalizer device	1
6	non cod.	crankshaft EXt 8 SAE with equalizer device	0
7	1050.994	crankshaft EXt 9 SAE without equalizer device	1
7	1050.995	crankshaft EXt 9 SAE with equalizer device	1
10	1051.100	crankshaft EXt a 4 without equalizer device	1
10	non cod.	crankshaft EXt a 4 SAE with equalizer device	0
12	1051.103	crankshaft EXt M 8 interc.B & S without equalizer device	1
12	non cod.	crankshaft EXt M 8 interc.B & S with equalizer device	0


G
15LD




① **std**




② **Ext. 3 SAE J609a**




③ **Ext. 4 SAE**




④ **Ext. 6 SAE**




④a **Ext. 6 SAE - 1"**




⑤ **Ext. 7 SAE**




⑥ **Ext. 8A J609a**




⑦ **Ext. 9 SAE**




⑧ **Ext. A3 J609a**




⑨ **Ext. a3**



⑩ **Ext. a4 J609a**



⑪ **spec. PAREL**



⑫ **Interc. B & S
80232 - 130232**

**LOMBARDINI**

A KOHLER COMPANY

Group: 15LD

Engine: 15LD 225 Drawing: C

CYLINDER HEAD/ROCKER ARM BOX/VALVES/TIMING/SPEED GOVERNOR

POS.	CODE	DESCRIPTION	Qty
1	1410.169	push rod	2
2	7215.137	push rod	2
3	1011.730	CAMSHAFT ASS.Y with compr.rel.	1
4	«-----»	see pos. 3	0
6	1015.068	compression shaft	1
7	1301.245	thrust washer diam.28,8X16X0,5	1
8	«-----»	see pos. 3	0
9	6231.211	pin	2
10	5660.064	spring	1
11	«-----»	see pos. D 86	0
12	7200.276	DRIVE ROD ASS.Y	1
13	«-----»	see Pos. 18/18a	0
16	1240.004	circlip diam. 10	1
17	7770.171	roller 3 X 27,8	2
18	«-----»	GOVERNOR ASS.Y	0
18a	4896.434	GOVERNOR ASS.Y	1
19	1011.729	camshaft (std - without compression release)	1
20	9820.168	self-tapping screw 3,9 X 9,5	3
21	«-----»	see Pos. 28	0
23	7625.270	washer	1
24	«-----»	see Pos. 28	0
25	9732.016	screw M 6 X 40	3
26	8506.003	engine lifting eye	1
27	«-----»	filler oil cap	0
28	2125.650	ROCK.ARM COVER ASS.Y	1
28	2125.660	ROCK.ARM COVER ASS.Y for low temperature	1
29	3240.161	safety nut	2
30	3300.265	special nut	2
31	1541.176	rocker arm	2
32	6780.027	stud M 8 X 50	1
32a	9730.024	screw M 8 X 16	2
33	3240.164	nut M 8	2
34	5151.111	push rod guide	1
35	7625.061	washer diam. 8,4	2
36	«-----»	see Pos. 28	0
37	6780.164	stud M 8 X 55	1
38	«-----»	see Pos. 28	0
41	4400.097	gasket	1
42	9820.077	screw M 2,9 X 6,5	5
42	9820.181	screw M 3,5 X 6,5	5
43	9730.015	screw M 6 X 30	2
45	9850.116	adjustment screw	2
47	1862.151	fixing head bolt	4
48	7625.130	washer diam. 10,2	4
49	6410.111	retainer with half-collets	2
50	5755.117	valve spring	2
51	3430.114	cup	2
52	1261.101	valve seal	2
53	4845.240	inlet valve guide	1
54	8000.207	inlet v.seat	1
55	4730.861	head gask. 0,9 diam. 70 - no semicircular cut	1
55	4730.862	head gask. 1,0 diam. 70 - 1 semicircular cut	1
55	4730.863	head gask. 1,1 diam. 70 - 2 semicircular cuts	1


Group: 15LD

Engine: 15LD 225 Drawing: C

CYLINDER HEAD/ROCKER ARM BOX/VALVES/TIMING/SPEED GOVERNOR

POS.	CODE	DESCRIPTION	Qty
55	4730.864	head gask. 1,2 diam. 70 - 3 semicircular cuts	1
56	8000.208	exhaust v.seat	1
57	4845.241	eXh valve guide	1
58	9652.148	intake valve	1
59	9685.151	eXhaust valve	1
60	9200.903	CYLINDER HEAD WITH SEATS AND GUIDES	1
61	«-----»	GASKET SET - see Pos. C 61a	0
61a	8205.104	RING AND GASKET COMPLETE SET (without Pos. C 55)	1
62	9032.086	filler oil cap	1
62	9032.119	filler oil cap	1
63	1200.082	O ring 3106	1
65	4775.555	gasket	1
67	7770.172	roller 3 X 15,8	1

C
15LD



**LOMBARDINI**

A KOHLER COMPANY

Group: 15LD

Engine: 15LD 225 Drawing: E


FUEL SYSTEM

POS.	CODE	DESCRIPTION	Qty
1	8103.322	fuel tank	1
2	9043.096	tank cap	1
3	3240.164	nut M 8	2
4	7701.154	rubber washer	2
5	3527.384	spacer	2
6	7670.118	washer	2
7	7701.154	rubber washer	2
8	9375.872	fuel pipe 5X10 mm. 250	1
9	3630.113	clamp CE 09	2
10	9375.872	fuel pipe 5X10 mm. 250	1
11	3630.163	clamp	2
15	5010.072	injector 15LD 225	1
15	6615.126	injector 15LD 225/S	1
16	2527.092	hose connector	1
16	2527.094	hose connector (red)	1
16a	7301.052	union	1
17	7270.108	banjo union diam. 6	1
18	9376.065	high press.pipe	1
18	9376.158	high press.pipe (15LD 225/S version)	1
19	4670.062	copper gasket diam. 6,2 X 10 X 1,5	2
20	7260.053	connection EPA version	1
21	6531.459	nozzle 15LD 225	1
21	6531.641	nozzle 15LD 225/S	1
22	4670.099	copper gasket 1,00	1
22	4670.101	copper gasket 0,50	1
23	9730.013	screw M 6 X 25	2
24	6590.281	injection pump special for citycar	1
24	6590.324	injection pump std	1
25	4580.180	gasket 0,38	1
26	9730.319	screw M 6 X 12	1
27	3617.197	fuel filter clamp	1
28	3730.096	fuel filter	1
28a	3730.121	fuel filter	1
29	7670.118	washer	2
30	7701.154	rubber washer	2
31	3527.384	spacer	1
32	9375.872	fuel pipe 5X10 mm. 250	1
33	3240.164	nut M 8	2
34	7701.154	rubber washer	2
36	9375.872	fuel pipe 5X10 mm. 250	1
39	7260.042	union	1
40	6000.072	adjustment cup violet 4,00	1
40	6000.075	adjustment cup orange 4,30	1
40	6000.079	adjustment cup red 4,70	1
40	6000.113	adjustment cup violet 4,00 EPA	1
40	6000.114	adjustment cup white 4,10	1
40	6000.115	adjustment cup yellow 4,20	1
40	6000.117	adjustment cup light blue 4,40	1
40	6000.118	adjustment cup green 4,50	1
40	6000.119	adjustment cup blue 4,60	1
40	6000.121	adjustment cup grey 4,80	1
41	7215.133	push rod	1
42	7625.303	washer diam. 6,5	1

Group: 15LD
Engine: 15LD 225 Drawing: E

FUEL SYSTEM			
POS.	CODE	DESCRIPTION	Qty
43	9865.221	screw M 6 X 1	1
44	3527.419	spacer	2
45	3630.050	clamp dia 9-11	1
46	3630.159	clamp diam.10-12,5	1
48	3630.113	clamp CE 09	1
49	1760.001	bolt M 6 X 1 X 10	2
52	3240.008	nut M 6	2
53	3587.159	electro-valve with lever for manual opening	1
56	7555.004	washer diam. 6	2
58	8510.145	bracket	1
58a	8510.149	electrovalve support	1
65	1901.030	union bolt M 10	1
66	1570.045	filler cap M 14	1
67	3587.119	electro-valve	1
68	3730.073	FUEL FILTER	1
69	4670.059	copper gasket diam.10	2
70	4670.061	copper gasket diam.14	2
71	2175.045	fuel filter cartridge	1
72	4670.061	copper gasket diam.14	2
73	1901.032	union bolt M 14	1
76	9672.116	delivery valve mmc 15	1
76	9672.138	delivery valve (EPA)	1
77	3630.050	clamp dia 9-11	2
78	«-----»	fuel hose ass.y	0
81	9732.078	screw M 6 X 25	1
82	7625.092	washer diam. 6,5	1
83	8545.793	bracket	1
84	7270.196	connection	1
85	4670.001	copper gasket diam. 6,2 X 10 X 1	1
86	«-----»	cartridge guide	0
97	7270.138	banjo union diam.10	2
98	1901.030	union bolt M 10	2
99	9732.092	screw M 8 X 18	2
99a	6780.008	stud M 8 X 20 (32)	2
100	6585.096	feed pump	1
101	1200.087	O ring 3150	1
102	4670.059	copper gasket diam.10	2
104	7200.193	feed pump rod	1
105	3587.138	electro-valve 12V antireverse	1
106	«-----»	hose connector	0
109	2185.950	wire mm 2000	1
110	2185.896	wire from pressure switch oil to electro-valve	1
111	«-----»	hose connector	0
129	3240.164	nut M 8	2
130	7555.029	washer diam. 8	2

E
15LD



**LOMBARDINI**

A KOHLER COMPANY


Group: 15LD

Engine: 15LD 225 Drawing: Z

SHORT BLOCK

POS.	CODE	DESCRIPTION	Qty
1	1560.279	conical PTO short block without equalizer device	1
1	1560.280	conical PTO short block with equalizer device	1
1	1560.281	short block EXt 3 SAE without equalizer device	1

Z
15LD



1560.280 std 15LD 225
 1560.276 std 15LD 315
 1560.302 std 15LD 400
 1560.304 std 15LD 440
 con albero equilibratore
 with equalizer shaft

