


AGROSAL d.o.o.



FOCS Turbo LDW 1204/T



AGROSAL d.o.o.

Gregorčičeva ulica 38, 5270 Ajdovščina
telefon: 05 368 90 96, fax: 05 368 90 97
e-mail: info@agrosal.si, www.agrosal.si

**LOMBARDINI**

A KOHLER COMPANY

Group: FOCS Turbo

Engine: LDW 1204/T Drawing: A


INTAKE AND EXHAUST/TURBOCHARGER

POS.	CODE	DESCRIPTION	Qty
2	9730.032	screw M 8 X 45	5
3	9732.064	screw M 8 X 30	4
5	4420.070	exh manifold gasket	4
7	6780.028	stud M 8 X 55 (67)	8
9	3240.163	nut M 8	8
11	9730.035	screw M 8 X 65	1
13	1770.011	bolt M 8 X 1,25 X 40	2
14	3630.128	clamp	1
15	5401.186	rubber sheathing	1
16	3630.128	clamp	1
17	2486.322	manifold	1
18	9730.008	screw M 6 X 10	1
19	9765.111	threaded plug	1
20	2486.318	manifold	1
21	4501.081	gasket	1
22	3527.335	spacer	1
23	3630.128	clamp	1
24	5401.186	rubber sheathing	1
25	1901.148	union bolt M 10	1
26	3630.128	clamp	1
27	4670.059	copper gasket diam.10	1
29	1901.030	union bolt M 10	1
30	4670.059	copper gasket diam.10	1
32	9465.043	oil tube	1
33	3840.016	flange	1
34	2486.257	inlet manifold	1
35	9602.152	flanged tube	1
36	4420.082	inl.manifold gasket	1
37	6780.005	stud M 8 X 18 (30)	3
38	2486.321	ehXaust manifold	1
39	9610.055	turbocharger 3600 R.P.M.	1
39	9610.056	turbocharger 3000 R.P.M.	1
40	1760.005	bolt M 6 X 1 X 16	2
41	7565.004	washer diam. 6	2
42	9535.030	tube	1
43	1200.279	O ring	1
44	3630.043	clamp 14-24	1
45	5401.173	pipe coupling	1
46	6780.053	stud M 8	4
47	3240.163	nut M 8	4
48	8025.945	seal ring	1
49	9080.140	plug	1
50	5365.100	coupling	1
51	1240.049	circlip diam. 50	1
52	2516.191	valve control Westgate	1
53	9602.153	flanged tube	1
54	3240.163	nut M 8	3
55	8490.126	bracket	1
56	3700.455	dry air cleaner (5'') with safety cartridge	1
56	3700.456	dry air cleaner 5''	1
56	3700.457	dry air cleaner 7''	1
57	2175.124	main cartridge 5''	1
57	2175.126	main cartridge 7''	1

INTAKE AND EXHAUST/TURBOCHARGER

POS.	CODE	DESCRIPTION	Qty
58	2175.125	safety cartridge 5''	1
59	6491.031	discharging elbow	1
60	8345.048	clogging indicator	1
61	7320.012	union	1

A
FOCS/T



**LOMBARDINI**

A KOHLER COMPANY

Group: FOCS Turbo


Engine: LDW 1204/T Drawing: B

CONNECTING ROD/PISTON SET

POS.	CODE	DESCRIPTION	Qty
1	8211.141	ring set std.	4
1	8211.142	ring set +0,50	4
1	8211.143	ring set +1,00	4
2	«-----»	PISTON SET +1,00	0
2	6501.823	PISTON SET std (EPA)	4
3	1630.038	small end bushing	4
4	8480.081	gudgeon pin (diam.20)	4
5	1261.099	circlip	8
6	1640.116	big end bushing std.	4
6	1640.117	big end bushing -0,25	4
6	1640.118	big end bushing -0,50	4
7	1526.226	CONNECTING ROD	4
8	1770.101	bolt M 8 X 1 X 42	8

B

FOCS/T



**LOMBARDINI**

A KOHLER COMPANY

Group: FOCS Turbo

Engine: LDW 1204/T Drawing: I


CONTROLS

POS.	CODE	DESCRIPTION	Qty
1	3240.153	nut M 6	1
2	4670.062	copper gasket diam. 6,2 X 10 X 1,5	1
3	«-----»	locking nut (Es.19)	0
4	6000.049	nut	1
5	5201.339	lever	1
8	6320.073	plate	1
8a	«-----»	plate	0
9	9732.096	screw M 3 X 6	6
11	4480.046	gasket 16X20	1
12	8576.077	eXtra fuel device	1
14	9790.023	screw M 5 X 7	1
16	1200.052	O ring	1
17	3240.009	nut	2
18	9180.191	adjuster M 6	2
19	5655.257	eXtra-fuel spring	1
20	«-----»	plate	0
21	771R.001	washer diam. 5,3	1
22	3203.075	nut M 8	1
23	7626.037	washer	2
24	5655.185	spring (black) 3600R.P.M.	1
24	5655.200	spring () 3350R.P.M.	1
24	5655.210	spring (red) 3000R.P.M.	1
24	5655.241	spring (light blue) 1500 R.P.M.	1
24	5655.407	spring 1800 R.P.M.	1
24	5655.418	spring (green) 1900-2600 R.P.M.	1
25	3240.008	nut M 6	2
26	1760.128	adjusting bolt M 6X25	2
27	6110.101	control lever pin	1
28	6000.049	nut	1
29	9865.202	screw M 3 X 10	4
30	1200.037	rubber oil seal	1
31	1755.001	bolt M 5 X 0,8 X 8	1
32	5200.414	lever	1
33	3240.008	nut M 6	1
34	5660.047	stop lever recovery spring	1
35	1200.051	rubber oil seal	1
36	6275.114	locking plate	1
37	1760.128	adjusting bolt M 6X25	1
38	3240.153	nut M 6	1
41	5660.065	recovery spring	1
42	1957.014	sleeve	1
43	1760.081	screw M 6 X 20	1
44	5200.674	internal lever	1
45	«-----»	see Pos. I 47+...	0
46	6140.420	journal	1
47	4896.360	GOVERNOR LEVER ASS.Y	1
48	6760.044	stud M 6 X 7	1
50	«-----»	see Pos. 45+...	0
51	5200.413	lever	1
53	1380.102	INJECTION PUMP RACK	1
54	6320.073	plate	2
55	«-----»	see Pos. 53	0
57	6370.331	locking plate	1

wing: I

1
1
1
1

I FOCS/T



**LOMBARDINI**

A KOHLER COMPANY

Group: FOCS Turbo

Engine: LDW 1204/T Drawing: G

COOLING SYSTEM

POS.	CODE	DESCRIPTION	Qty
1	9730.015	screw M 6 X 30	1
2	6927.705	belt guard (2 antidusty ring)	1
2	6927.707	belt guard	1
3	2400.108	belt mm 825	1
3	2440.316	belt mm 875	1
4	7590.007	washer	1
5	1240.039	snap ring	1
6	3002.032	ball bearing	1
7	3466.046	spacer	1
8	3002.032	ball bearing	1
9	1240.039	snap ring	1
10	9730.031	screw M 8 X 40	3
11	6205.028	pulley pin mm 63,5	1
12	8850.053	fan support	1
13	1770.022	bolt M 8 X 1,25 X 90	1
14	7515.006	washer	1
15a	7051.165	PULLEY ASS. for engine with external alternator	1
16	9730.016	screw M 6 X 35	2
17	4501.158	gasket	1
18	6584.439	COOL.PUMP	1
19	4580.215	pump body gasket	1
20	«-----»	see Pos. 30	0
23	3866.046	flange	1
24	1770.178	screw M 8 X 1,25 X 35	2
27	9732.016	screw M 6 X 40	4
28	3810.037	fan flange h=mm 43,5	1
28	3810.093	fan flange h=mm 53,5	1
29	2750.279	thermostat cover	1
30	1200.091	O ring	1
31	9195.124	thermal exPans.valve	1
32	4896.208	THERMOSTAT with water temperature sensor (G 45)	1
32	4896.431	THERMOSTAT with thermostat for water warning light/sensor for e	1
32a	2871.274	thermostat ass.y body	1
32a	2871.276	thermostat ass.y body	1
33	9732.074	screw M 8 X 20	2
34	9730.110	screw M 6 X 60	4
35	6275.147	plate	1
36	9718.251	suction fan diam.350 - 6 blades	1
37	«-----»	see Pos. H 37	0
39	7051.144	pulley 1 groove d.=85 h 38,4	1
41	«-----»	see Pos. 30	0
42	1770.160	screw M 8 X 1,25 X 16	2
43	4460.037	gasket	1
44	4670.019	copper gasket diam.16	1
45	9195.077	thermostat M 16 for water warning light (110°C)	1
45a	9195.108	thermostat for water warning light/sensor for preheating plug c	1
47	9732.064	screw M 8 X 30	2
68	9040.012	plug M 14	1
69	9195.050	sensor M 14 for electrical thermometer	1
70	2501.116	hollowstud	1
71	4670.061	copper gasket diam.14	1
72	9195.094	sensor M 14 (12-24V) for preheating plug control box	1
73	4670.061	copper gasket diam.14	1

COOLING SYSTEM

POS.	CODE	DESCRIPTION	Qty
105	9000.078	plug	1
113	3855.163	flange for fan on water pump shaft	1
114	3515.031	spacer for flange mm 10	1
127	2501.154	hollowstud	1
128	9535.131	water return pipe	1
132	4670.061	copper gasket diam.14	2
133	1901.032	union bolt M 14	1



**LOMBARDINI**

A KOHLER COMPANY


Group: FOCS Turbo

Engine: LDW 1204/T Drawing: E

CRANKCASE/FLYWHEEL SIDE CRANKSHAFT FLANGE

POS.	CODE	DESCRIPTION	Qty
1	9027.007	plug	1
2	4670.060	copper gasket diam.12	1
3	1970.140	sleeve	2
10	6370.503	flanging plate (thickness 4 mm)	1
13	9730.010	screw M 6 X 16	6
15	9080.240	plug M 12	2
15	9765.113	screw M 12	2
16	8990.022	eXpansion plug diam.30	8
17	4501.156	gasket	1
18	3790.078	FLANGE for engine with eXternal altern.or without alternator	1
19	1213.347	seal ring 70X88X8	1
20	9820.120	fiX. screw	10
21	1970.140	sleeve	10
22	«-----»	see Pos. 39	0
24	1257.158	thrust washer std	2
24	1257.159	thrust washer +0,10	2
24	1257.160	thrust washer +0,20	2
25	8400.108	lockpin 10 X 20	2
26	1770.127	bolt M 8 X 14	9
29	4400.054	gasket	4
30	«-----»	see Pos. 39	0
31	1611.193	supp.bearing std.	5
31	1611.194	supp.bearing -0,25	5
31	1611.195	supp.bearing -0,50	5
39	1510.834	CRANKCASE	1
40	«-----»	spring	0
43	7625.010	washer diam. 8	1
44	«-----»	bolt M 8 X 1,25 X 14	0
46	4670.058	copper gasket diam. 8,2X12X1,5	4
47	9535.025	tube	1
48	8485.016	oil sprayer	4
49	4670.058	copper gasket diam. 8,2X12X1,5	4
50	1570.056	union bolt	4
51	9346.037	water hose	1
52	8430.105	taper pin 8X16	1

E
FOCS/T



**LOMBARDINI**

A KOHLER COMPANY


Group: FOCS Turbo

Engine: LDW 1204/T Drawing: C

CRANKSHAFT/FLYWHEEL

POS.	CODE	DESCRIPTION	Qty
1	2280.119	key	1
3	9080.132	plug diam. 6	4
5	2816.088	crown gear Ø 238 z=94	1
6	9881.615	FLYWHEEL with crown z = 94 (Kg 7,4)	1
7	1780.097	bolt M 10 X 35	5
8	9865.258	screw M 16 X 1,5 left rotation	1
9	«-----»	lockpin	0
10	2280.150	key (mm 12)	1
11	8430.004	tapper pin	1
13	1051.111	CRANKSHAFT	1

C
FOCS/T



**LOMBARDINI**

A KOHLER COMPANY


Group: FOCS Turbo

Engine: LDW 1204/T Drawing: L

CYLINDER HEAD/ROCKER ARM BOX

POS.	CODE	DESCRIPTION	Qty
2	9580.065	tube	1
3	«-----»	filler oil cap	0
3a	9032.093	filler oil cap	1
4	9730.416	screw M 6 X 20	14
5	8545.939	lifting brace	2
8	9080.132	plug diam. 6	1
8	9080.133	cap diam. 8	1
9	5365.122	connection	1
15	«-----»	see Pos. 2	0
16	5755.005	valve spring	8
18	6410.017	retainer with half-collets	8
20	4845.200	valve guide std.	8
20	4845.220	valve guide +0,50	8
24	7625.130	washer diam. 10,2	10
25	8990.047	plug diam.18	6
26	9820.222	special screw mm 90+10	10
27	7625.185	washer	8
28	9685.105	eXhaust valve	4
29	9652.101	intake valve	4
30	9080.132	plug diam. 6	1
31	9065.007	plug	1
33	4130.096	precombustion chamber locking nut	4
34	6725.102	precombustion chamber	4
36	8000.121	inlet v.seat	4
37	8000.122	eXhaust v.seat	4
38	9680.034	suction valve	1
44	4535.015	valve retainer	8
47	3866.089	flange (for hose diam.12)	1
48	5570.019	retainer	1
49	7625.010	washer diam. 8	1
50	1200.081	O ring	1
51	1770.127	bolt M 8 X 14	1
53	2125.748	ROCKER ARM COVER	1
57	4400.101	gasket	1
58	5066.265	separator	1
59	9200.786	CYLINDER HEAD	1
61	4730.715	head gasket 1,70 (2 semicircular cuts)	1
61	4730.757	head gasket 1,60 (1 semicircular cut)	1
61	4730.758	head gasket 1,80 (3 semicircular cuts)	1
62	1770.002	bolt M 8 X 1,25 X 16	2
63	1770.004	bolt M 8 X 1,25 X 20	1
64	3617.089	clamp dia. 20	1
65	3630.147	clamp diam.12-22	2
67	7625.012	washer diam. 8,4	1
68	9400.130	bleeding hose	1
69	9580.070	union pipe	1
77	1200.082	O ring 3106	1
101	7625.010	washer diam. 8	1

L
FOCS/T



**LOMBARDINI**

A KOHLER COMPANY


Group: FOCS Turbo

Engine: LDW 1204/T Drawing: V

FAN AND ALTERNATOR SHIELD

POS.	CODE	DESCRIPTION	Qty
1a	6927.446	intake side shield for intake fan	1
1b	6927.420	intake side shield for blowing fan	1
2	8545.639	bracket	1
3a	«-----»	eXhaust side shield for intake fan and 33 A alternator - see po	0
3b	6927.418	eXhaust side shield for blowing fan and 33 A alternator	1
3c	«-----»	eXhaust side shield for intake fan and 45/65 A alternator	0
3e	6927.414	eXhaust side shield for blowing fan engine without eXternal alt	1
4	6260.071	safety plate	1
5	8636.155	vibration-damping	2
6	8545.640	bracket	1
7	6260.079	safety plate	1
8	3525.092	spacer	1
10a	6927.470	shield for intake fan and 33 A alternator (with double/triple c	1
10b	«-----»	shield for intake fan and 45/65 A alternator	0
10c	6927.474	shield for blowing fan and 33 A alternator (with double/triple c	1
10d	«-----»	shield for blowing fan and 45/65 A alternator	0
10e	6927.472	shield for blowing fan (engine without eXternal alternator - wi	1
11	3525.092	spacer	1
12	6927.649	shield for intake fan and 45/65 A alternator (with triple circu	1
13	9820.214	screw	4

V
FOCS/T



**LOMBARDINI**

A KOHLER COMPANY

Group: FOCS Turbo

Engine: LDW 1204/T Drawing: F


FUEL SYSTEM

POS.	CODE	DESCRIPTION	Qty
2	9730.313	fix.screw	8
3	4750.014	delivery pipe seal	1
4	3240.164	nut M 8	2
6	6780.049	intake stud M 8 X 20 (36)	2
7	6585.097	feed pump	1
8	1200.087	O ring 3150	1
9	7200.721	drive rod	1
10	1200.286	seal ring 9,25X1,78	8
11	3240.164	nut M 8	8
12	6780.135	stud	8
13	7555.029	washer diam. 8	8
14	1410.112	tapped	4
15	«-----»	screw	0
16	9680.041	bleeding valve	4
17	5801.274	delivery valve spring	4
18	9672.107	delivery valve	4
20	«-----»	injection plunger - see Pos. F 25	0
23	5755.113	tappet spring	4
24	«-----»	push rod - see Pos. F 25	0
25	6590.290	nozzle-injection pump	4
26	«-----»	body	0
27	8335.142	adj.spacer 2,00	4
27	8335.143	adj.spacer 1,90	4
27	8335.144	adj.spacer 1,80	0
27	8335.145	adj.spacer 1,70	0
27	8335.146	adj.spacer 1,60	0
27	8335.147	adj.spacer 1,50	0
27	8335.148	adj.spacer 1,40	0
27	8335.149	adj.spacer 1,30	0
27	8335.150	adj.spacer 1,20	0
27	8335.151	adj.spacer 1,10	0
27	8335.152	adj.spacer 1,00	0
28	«-----»	pressure spring - no longer avail.	0
29	1420.048	drive rod	4
30	3527.220	spacer	4
31	«-----»	filler - no longer available	0
32	4760.015	valve gasket	4
35	1200.277	seal ring 20,35X1,78	4
36	5375.017	governor sleeve	4
37	9730.206	screw TCEI M 4 X 12	16
38	6410.096	lower ret.	4
39	«-----»	circlip diam. 19 - see Pos. F 25	0
40	5989.007	spark arrestor	4
41	1200.213	O ring 26,70X1,78	4
42	«-----»	locking nut	0
43	6531.436	nozzle	4
44	1901.030	union bolt M 10	2
45	4670.059	copper gasket diam.10	2
57	4670.082	copper gasket diam.14 X 1	4
59	«-----»	lockpin	0
62	1200.287	O ring 25,12X1,78	4
63	4760.038	gasket	4
65	9375.988	delivery pipe	1

wing: F

AGROSAI


F
FOCS/T



GASKET SET

POS.	CODE	DESCRIPTION	Qty
1	«-----»	RING AND GASKET COMPLETE SET (without Pos. L 61) - see Pos. N 1	0
1a	8205.112	RING AND GASKET COMPLETE SET - head and fuel system overhaul (w	1
1b	8205.111	RING AND GASKET COMPLETE SET - crankcase and cranking overhaul	1

N
FOCS/T



**LOMBARDINI**

A KOHLER COMPANY


Group: FOCS Turbo

Engine: LDW 1204/T Drawing: H

LUBRICATING SYSTEM

POS.	CODE	DESCRIPTION	Qty
1	6975.292	driving pulley	1
2	1213.343	seal ring 32X50X6	1
3	4670.060	copper gasket diam.12	1
4	9015.005	plug	1
5	5625.008	pressure valve spring	1
6	6495.045	drive rod	1
9	9800.061	screw M 6 X 16	3
11	7750.108	oil pump rotors	1
12	1200.030	rubber oil seal	1
14	1770.007	bolt M 8 X 1,25 X 30	1
15	1200.274	oil seal diam. 8,00	1
17	9732.074	screw M 8 X 20	6
18	6605.099	OIL PUMP	1
19	1200.292	O ring	1
20	«-----»	see Pos. 21	0
21	4580.216	gasket	1
22	1200.266	rubber oil seal	2
23	1400.457	dipstick (mm 97)	1
24	7500.018	washer	22
25	9732.084	screw M 6 X 12	22
28	4670.088	O ring	2
29	9040.024	plug M 18 h = 22	2
30	7625.008	washer diam. 6,4	1
31	1760.003	bolt M 6 X 1 X 12	1
32	7265.043	oil filter connector	1
32a	7265.041	remote oil filter connector	1
33	2175.131	oil filter cartridge (mm 90)	1
35	«-----»	see Pos. C 10	0
37	9732.016	screw M 6 X 40	4
38	9485.271	scavenge oil pipe (also for engine with spacer Pos. H 53 for oi	1
39	4775.561	gasket	1
41	6645.540	oil pan (l 4,3)	1
45	«-----»	hose	0
46	3630.147	clamp diam.12-22	2
47	7350.374	oil cooler	1
48	9305.097	water hose	1
49	9865.174	screw	2
51	7265.043	oil filter connector	1
52	1213.381	seal ring	1
53	3527.396	spacer mm 68 for oil pan	1
54	9305.470	hose	1
88	3500.037	hollowstud mm 68 for spacer mm 68 for oil pan	1


H
FOCS/T



SHORT BLOCK

POS.	CODE	DESCRIPTION	Qty
1	«-----»	short block	0

Z
FOCS/T



**LOMBARDINI**

A KOHLER COMPANY

Group: FOCS Turbo


Engine: LDW 1204/T Drawing: M

STARTING

POS.	CODE	DESCRIPTION	Qty
1	1780.015	bolt M 10 X 1,5 X 70	1
1	1780.129	bolt M 10 X 75 (alt.33 A)	1
2	7625.022	washer diam.10,5 (alt.45/65A)	1
2	7625.256	washer diam. 10,5	1
3	9732.054	screw M 8 X 30	3
4	3240.033	nut M 10	1
5	8725.094	alternator support 33A	1
6	2100.074	preheating glow plug 24 V	4
6	2100.089	preheating glow plug 12 V	4
7	2185.548	glow plug wire	3
8	1770.014	bolt M 8 X 45	1
8	1780.015	bolt M 10 X 1,5 X 70	1
9	7625.012	washer diam. 8,4	1
9	7625.022	washer diam.10,5 (alt.45/65A)	1
10	1157.261	eXternal volt.alternator 12V-33A	1
10	1157.270	EXTERNAL VOLT. ALTERNATOR 12V-65 A	1
10	1157.360	eXternal volt.alternator 12V-45 A Iskra	1
10	1157.383	eXternal volt.alternator 24V-35A	1
11	6275.160	plate M 8 (X alternator 33A)	1
12	5840.172	starting motor 24V 1,6KW	1
12	5840.194	starting motor 12 V 1,1 KW	1
12	5840.224	starting motor 12V 1,7KW	1
13	9730.046	screw M 10 X 35	2
14	6745.050	oil switch 0,3 bar (M 12)	1
14	6745.056	oil switch 1,4 bar (white mark)	1
15	4670.060	copper gasket diam.12	1
20	3240.004	nut M 5	4
21	7626.066	washer	4
24	2186.139	starting motor wire	1
25	2145.014	regulator cap	1
26	«-----»	voltage regulator	0
29	2185.867	glow plug wire	1
30	2193.106	contr boX 24V	1
30	2193.204	contr boX 12V	1
33	6491.013	pipe elbow	1
34	5830.161	connection boX	1
48	6995.037	alternator pulley (Marelli type)	1
49	9718.205	alternator fan (Marelli type)	1

M

FOCS/T



**LOMBARDINI**

A KOHLER COMPANY

Group: FOCS Turbo

Engine: LDW 1204/T Drawing: D

TIMING/SPEED GOVERNOR

POS.	CODE	DESCRIPTION	Qty
1	1541.193	rocker arm (inlet/exhaust)	4
1	6045.112	ROCKER ARM ASS.Y	1
2	9850.088	adj.screw	8
3	3240.008	nut M 6	8
4	9850.110	adj.screw	4
5	3240.151	nut	4
6	1541.220	inj.pump rocker arm	4
7	8615.105	rock.arm shaft support	5
8	7625.020	washer diam.10,5	5
9	3240.033	nut M 10	5
10	6800.088	stud M 10 X 45	5
12	8430.061	lockpin 4 X 14	1
13	9000.148	plug diam.11	2
14	1970.460	sleeve	1
16	1541.193	rocker arm (inlet/exhaust)	4
17	1970.461	sleeve	1
18	3580.035	cam (4300 > G/1')	1
19	9730.376	screw (unified with that one of pos.D 19a)	1
19a	9730.322	vacuum pump screw (also for vacuum pump adapter)	1
20	1200.233	O ring 40,95 X 2,62	1
21	3800.026	flange	1
21a	3855.134	flange for vacuum pump fitting	1
22	9730.416	screw M 6 X 20	3
23	7090.012	contr.gear pulley	1
24	2440.338	timing belt z=113	1
25	1213.303	seal ring 35X52X7	1
26	9730.010	screw M 6 X 16	3
27	2690.294	GOVERNOR COVER	1
28	1202.037	rubber oil seal	1
29	3001.066	ball bearing	1
30	6275.166	plate	1
31	9800.061	screw M 6 X 16	3
32	8805.048	weight support	1
34	5401.205	CONTROL SLEEVE	1
34c	7352.063	thrust washer	1
35	1585.085	sleeve	1
36	3110.165	thrust roller	1
37	«-----»	thrust washer	0
38	9820.142	screw	1
39	7625.045	washer diam.11	1
41	3240.033	nut M 10	1
42	7495.010	washer	1
43	6800.090	stud	1
44	4110.009	jockey pulley	1
46	6045.083	ROCKER ARM SHAFT	1
48	«-----»	camshaft for vacuum pump	0
48	1011.643	camshaft	1
49	8430.105	taper pin 8X16	1

D
FOCS/T

