

AGROSAL d.o.o.



3LD



AGROSAL d.o.o.

Gregorčičeva ulica 38, 5270 Ajdovščina
telefon: 05 368 90 96, fax: 05 368 90 97
e-mail: info@agrosal.si, www.agrosal.si

**LOMBARDINI**

A KOHLER COMPANY


Group: 3LD

Engine: 3LD 450 Drawing: A

INTAKE AND EXHAUST

POS.	CODE	DESCRIPTION	Qty
1	3700.102	air cleaner diam. 140	1
1	3700.374	air cleaner diam. 122 with 3 filt.elements	1
2	2125.055	prefilter cap	1
3	3200.002	wing nut M 6	1
4	4775.137	gasket	1
5	9542.001	eXhausting pipe	1
6	9541.030	eXhausting pipe	1
7	<----->	no longer available	0
10	3700.101	air cleaner diam. 140	1
10	3700.373	air cleaner diam. 122 with 3 filt.elements	1
11	1301.053	cyclonic prefilter (Ø 120)	1
12	4500.091	gasket	2
13	5460.090	eXhaust muffler	1
16	3240.163	nut M 8	2
20	4500.067	gasket	2
27	<----->	air clean.elbow	0
28	5496.334	filt.element diam.118	1
29	3240.021	nut M 8	2
30	7555.029	washer diam. 8	2
36	1261.072	seal ring h=17,6 d=54	1
37	5496.110	upper filter.element	1
37	5496.333	filt.element diam.124	1
38	4775.120	gasket h=10 d=135	1
38	4776.032	gasket h= 7 diam. 154	1
39	5496.071	filt.element h.90 diam.120	1
39	5496.111	filtering element h.87 diam.138	1
41	4115.048	hook	2
42	5462.084	eXhaust muffler	1
43	<----->	supeseded by Pos. A 42	0
44	5460.432	muffler (for engine with rewind start.)	1
45	5460.439	muffler (for engine with electric starting)	1
48	6927.342	muffler guard	1
50	6275.150	threaded plate	5
51	5111.114	plate	5
52	7645.005	washer diam. 6	5
53	1760.032	bolt M 6 X 1 X 14	5
54	6927.341	muffler guard (EEC type)	1
55	6927.332	muffler guard (EEC type)	1
57	<----->	see Pos. A 12	0

A
3LD



**LOMBARDINI**

A KOHLER COMPANY

Group: 3LD

Engine: 3LD 450 Drawing: F

COOLING SYSTEM/STARTING

POS.	CODE	DESCRIPTION	Qty
1	4570.013	gasket	1
2	6370.326	plate	1
3	2569.610	shroud for flywh.side tank	1
3	2569.616	shroud (std and for rewind start)	1
3	2569.639	shroud with hood connectors (also for rewind start.)	1
4	5096.019	guard panel	1
5	7565.007	washer diam. 8	4
6	9790.141	screw M 8 X 12	4
7	«-----»	guard (int.dia=202)	0
8	6961.029	pulley 1 groove (right rotation)	1
8	6961.039	pulley (min.dimensions type h=36)	1
8	6961.048	start pulley	1
9	1770.014	bolt M 8 X 45	3
9	1770.017	bolt M 8 X 60	3
10	7980.067	cup	1
11	5096.079	guard panel (int.diam=170)	1
12	5145.043	rewind fixing plate	1
13	1472.057	rewind starting	1
15	5025.097	tooth	1
16	«-----»	circlip	0
17	5111.117	plate	1
18	5066.246	airtight plate inlet side	1
18	5066.248	shroud plate for el.-hand starting	1
19	5066.245	airtight plate exhaust side	1
19	5066.247	shroud plate for el.-hand starting	1
20	5111.116	plate	1
21	9865.122	screw M 6 X 12	8
22	3350.062	deflector for electr.starting	1
23	4570.014	gasket (el.st.arting)	1
24	1301.096	spacer 75 X 84 X 3	1
24	1301.280	spacer 74 X 97 X 3	1
25	4055.045	rope starting	1
26	2920.078	shroud hood	1
27	3527.416	spacer	1
28	7500.018	washer	4
29	1760.001	bolt M 6 X 1 X 10	4
30	«-----»	see Pos. 13	0
31	7100.377	recoil pulley	1
32	5801.539	spiral spring	1
33	5096.079	guard panel (int.diam=170)	1
34	5590.026	thrust spring	1
35	5660.066	recovery spring	1
36	5025.097	tooth	1
37	9730.010	screw M 6 X 16	2
44	4904.038	handle ass.y	1
45	6927.227	flywheel guard	1
50	8545.442	bracket	1
51	«-----»	screw M 6 X 1 X 12	0
53	6491.005	pipe elbow	1
54	«-----»	brace	0
56	3203.047	nut M 8	1
68	«-----»	plate	0
71	5175.162	lamp 12V	2


Group: 3LD

Engine: 3LD 450 Drawing: F

COOLING SYSTEM/STARTING

POS.	CODE	DESCRIPTION	Qty
72	8490.084	bracket	1
73	7245.168	remote dash board	1
73	7245.169	dashboard 2 warning lights	1
74	2568.067	shroud (el.start.)	1
76	«-----»	brace	0
77	1770.009	bolt M 8 X 1,25 X 35	1
78	5840.142	starting motor	1
79	9730.045	screw M 10 X 30	2
80	7565.011	washer diam.10	2
81	8335.073	spacer	1
82	8505.085	angle bracket	1
83	5450.009	oil manometer	1
84	5041.020	key switch	1
87	8460.083	lockpin	1
89	9730.010	screw M 6 X 16	3
90	3617.015	clamp	1
91	1157.153	volt.alternator 12V 12A - 3 wires	1
92	9730.015	screw M 6 X 30	5
93	7565.004	washer diam. 6	5
94	2145.014	regulator cap	1
95	7362.228	voltage regulator. 12V 14/26A-6 contacts for alternator 3 wires	1
95	7362.232	light.alt.regul.-5 contacts for alt. 3 wires	1
96	9732.092	screw M 8 X 18	2
98	6491.013	pipe elbow	1
99	6745.050	oil switch 0,3 bar (M 12)	1
100	9730.340	screw M 5 X 10	1
101	«-----»	tooth recovery spring	0
102	7980.063	cup	1
103	2185.553	engine wires	1

F
3LD



**LOMBARDINI**

A KOHLER COMPANY

Group: 3LD

Engine: 3LD 450 Drawing: B

CONN.ROD/PISTON/CYLINDER/CRANKSHAFT/FLYWHEEL/CRANKCASE/FLANGING/MOUNTS

POS.	CODE	DESCRIPTION	Qty
2	3240.164	nut M 8	8
4	6780.075	stud M 8 X 21 (35)	8
5	6646.092	GEAR COVER	1
6	4600.001	gasket 0,40	1
7	1710.042	bearing std.	1
7	1710.049	bearing -1,00	1
8	2380.553	cylinder	1
8a	4898.027	kit cylinder-piston set-emery gasket set	1
9	6850.214	flywheel side stud	2
10	8211.009	ring set std. (3 grooves)	1
10	8211.010	ring set +0,50 (3 grooves)	1
10	8211.011	ring set +1,00 (3 grooves)	1
11	6501.044	PISTON SET std	1
11	6501.045	PISTON SET +0,50	1
11	6501.046	PISTON SET +1,00	1
12	8480.009	gudgeon pin	1
13	1240.019	snap ring	2
14	1213.060	seal ring 30X47X7	1
14	1213.203	sleek seal ring 30X47X6	1
15	9080.108	plug	1
17	1526.159	CONNECTING ROD with std large end bushing	1
18	1770.109	conn.rod bolt M 8 X 50	2
19	1640.027	large end bushing std.	1
19	1640.028	big end bushing -0,25	1
19	1640.029	big end bushing -0,50	1
20	1630.007	small end bearing	1
21	9680.016	pressure oil valve	1
22	9880.504	flywheel	1
23	6780.009	stud M 8 X 21 (31)	1
24	«-----»	security valve	0
25	7555.029	washer diam. 8	6
26	3240.164	nut M 8	6
28	2051.003	clutch bell	1
29	3260.124	nut	1
30	3260.123	nut	1
31	3260.014	nut M 16	1
32	5715.062	washer	1
33	2051.001	clutch bell	1
34	6850.025	gear side stud	2
35	1510.668	CRANKCASE	1
36	4410.064	gasket	1
37	1610.067	bearing -1,00 (gear side) - must be reamed after assembly	1
37	1611.221	bearing std. (gear side)	1
37	1611.222	bearing -0,25 (gear side)	1
37	1611.223	bearing -0,50 (gear side)	1
37	1611.224	bearing -0,75 (gear side)	1
38	1050.040	CRANKSHAFT mm 327 automotive	1
38	1051.038	CRANKSHAFT mm 327 power mower	1
39	3240.170	nut	2
40	8990.002	plug	1
41	«-----»	plate	0
42	8990.002	plug	1
43	2280.056	crankshaft woodruff key	1


Group: 3LD

Engine: 3LD 450 Drawing: B

CONN.ROD/PISTON/CYLINDER/CRANKSHAFT/FLYWHEEL/CRANKCASE/FLANGING/MOUNTS

POS.	CODE	DESCRIPTION	Qty
44	1862.013	bolt (diam.int.= 35)	1
45	1862.012	bolt M14	1
46	6429.187	engine mount	1
47	6780.019	stud M 8 X 30 (42)	2
48	8430.055	tapper pin 4 X 12	1
49	7555.029	washer diam. 8	2
50	1050.062	CRANKSHAFT mm 368 industrial version	1
51	3240.018	nut M 8	2
53	8430.055	tapper pin 4 X 12	1
54	4700.009	gasket 0,30	1
54	4700.077	gasket 0,10	1
55	1610.024	bearing -1,00 (flywheel side) - must be reamed after assembly	1
55	1611.217	bearing std. (flywheel side)	1
55	1611.218	bearing -0,25 (flywheel side)	1
55	1611.219	bearing -0,50 (flywheel side)	1
55	1611.220	bearing -0,75 (flywheel side)	1
56	6780.075	stud M 8 X 21 (35)	5
57	8676.098	crankshaft support	1
58	2816.038	crown gear	1
59	1210.076	seal ring std.	1
59	1210.084	seal ring -0,50	1
60	9880.547	FLYWHEEL with CROWN	1
61	7625.037	washer diam.21	1
62	3260.056	nut	1
64	1213.388	seal ring 55X72X10	1
65	4580.169	gasket 0,40	1
65	4580.170	gasket 0,80	1
66	6700.012	plate	1
69	«-----»	spacer	0
70	1050.358	CRANKSHAFT mm 356 (gen.sets)	1
71	7625.019	washer diam.10	8
72	1780.031	bolt M 10 X 1,5 X 25	8
73	6429.186	engine mount	1
74	3240.018	nut M 8	7
75	7555.029	washer diam. 8	7
76	6780.023	stud M 8 X 40	7
79	2032.008	flanging bell d=195	1
81	2032.048	flanging bell	1
86	8675.102	CRANKSFHT SUPP.	1
89	8460.083	lockpin	1

B
3LD



**LOMBARDINI** Group: 3LD

A KOHLER COMPANY Engine: 3LD 450 Drawing: C

**FILTER**
SOLUTIONS LTD**CYLINDER HEAD/ROCKER ARM BOX/VALVES/TIMING/SPEED GOVERNOR**

POS.	CODE	DESCRIPTION	Qty
1	3617.022	clamp	1
2	9600.054	hose	1
3	2145.003	cap	1
4	«-----»	starter cap	0
5	2125.166	rocker arm cover	1
6	9732.063	screw M 8 X 35	2
7	9050.029	BREATHER CAP	1
7	9050.050	BREATHER CAP	1
8	«-----»	safety wire	0
9	1200.014	O ring	1
10	8506.003	engine lifting eye	1
11	1165.004	circlip diam. 5	1
12	5680.024	lever recovery spring	1
13	1110.053	compression shaft	1
14	5270.078	compression lever	1
15	8430.023	lockpin 3 X 16	1
16	3240.010	nut M 7	1
17	9850.002	rocker arm adjuster	1
18	3240.008	nut M 6	1
19	9820.075	screw	1
20	2125.193	ROCKER ARM COVER WITH COMPR.RELEASE	1
21	9850.002	rocker arm adjuster	1
22	3240.010	nut M 7	1
23	4400.012	gasket 0,50	1
23a	4400.014	gasket 0,25 for cover fitted for compression	1
24	8430.023	lockpin 3 X 16	1
25	1200.034	O ring 105	1
26	«-----»	GASKET SET - see Pos. C 26a	0
26a	8205.081	RING AND GASKET COMPLETE SET	1
27	8185.001	EMERY GASKET SET	1
28	4740.017	gasket	1
29	1200.026	rubber oil seal	1
30	1410.012	push rod	2
31	4330.021	ROCKER ARM ASS.Y	1
32	6045.025	rocker arm shaft	1
33	«-----»	see Pos. 31	0
34	2135.068	valve cap	1
35	6410.017	retainer with half-collets	2
36	2125.324	rocker arm cover with compr.for rewind	1
37	9520.039	guard tube	1
38	4740.017	gasket	1
39	9730.100	screw M 8 X 25	2
40	4887.003	gear side tappet	1
42	4887.004	flywh. side tappet	1
43	6780.010	stud M 8 X 22 (34)	2
43	6780.052	stud M 8 X 18 (28)	2
44	5755.005	valve spring	2
45	«-----»	inlet v.guide +0,50 - no longer avail.	0
45	4845.154	inlet v.guide std.	1
46	6410.038	retainer	2
47	«-----»	circlip - no longer avail.	0
48	4845.156	exhaust v.guide std.	1
49	3240.124	nut	4

**LOMBARDINI**

A KOHLER COMPANY

Group: 3LD

Engine: 3LD 450 Drawing: E

FUEL SYSTEM

POS.	CODE	DESCRIPTION	Qty
4	9135.011	cushion	2
5	«-----»	bleeding pipe	0
6	9571.204	bleeding pipe mm 330	1
7	«-----»	union bolt	0
11	4896.249	NOZZLE-HOLDER ASS.Y	1
11	6615.084	nozzle-holder	1
12	3790.070	flange	1
13	7301.155	union	1
14	8335.193	spacer	0
15	«-----»	clamp	0
17	8010.008	seat	1
18	«-----»	cup	0
19	9600.057	rubber spacer	4
20	«-----»	fuel tank cap	0
22	3240.021	nut M 8	2
23	1770.031	bolt M 8 X 1,25 X 50	2
24	5400.046	rubber sheathing	1
25	3617.016	clamp	1
26	9370.010	high press.pipe	1
27	«-----»	seat	0
31	3240.163	nut M 8	2
32	«-----»	gasket - no longer available	0
33	6780.164	stud M 8 X 55	2
34	6531.425	nozzle	1
35	9732.016	screw M 6 X 40	2
36	3240.008	nut M 6	2
37	4130.115	locking nut	1
38	1557.019	drilled block	2
39	«-----»	superseded by Pos. E 11 (4896.249)	0
41	4670.005	copper gasket 0,50	1
41	4670.006	copper gasket 1,00	1
42	«-----»	stud	0
51	8315.016	rubber spacer	2
52	9043.096	tank cap	1
53	«-----»	fuel tank	0
54	3527.476	spacer	2
55	5575.006	spring	1
56	3930.019	cup	1
57	1200.268	rubber oil seal	1
58	2175.009	fuel filter cartridge	1
58	3730.015	FUEL FILTER	1
59	4490.017	gasket	1
60	4430.071	gasket	1
61	«-----»	copper gasket diam. 8,2X12X1,5	0
63	3240.163	nut M 8	2
65	3525.092	spacer	2
66	1770.007	bolt M 8 X 1,25 X 30	2
66	1770.031	bolt M 8 X 1,25 X 50	2
67	7265.008	connection	1
68	1200.031	rubber oil seal	1
69	8335.029	washer seal	1
70	7470.003	filler	1
71	9672.013	delivery valve	1

Group: 3LD**Engine: 3LD 450 Drawing: E****FUEL SYSTEM**

POS.	CODE	DESCRIPTION	Qty
72	9732.074	screw M 8 X 20	3
74	6578.013	injection plunger (for injection pump 6590.033 - no longer avai	1
74	6578.205	plunger for rewind starting for injection pump 6590.263	1
75	3630.008	clamp	1
76	«-----»	spring retainer bottom - see Pos. E 91	0
77	9375.274	hose from gear side tank to inj.pump (mm 142)	1
78	5625.002	spring	1
79	7980.020	cup	1
80	4850.009	guide	1
81	7215.017	tappet	1
82	«-----»	no longer available	0
84	6230.068	pin	1
85	5755.034	valve spring	1
86	4760.015	valve gasket	1
87	4670.060	copper gasket diam.12	2
88	1901.171	deaeration plug	1
89	4775.196	gasket	1
90	1901.031	union bolt M 12	1
91	6590.263	injection pump	1
92	«-----»	no longer available	0
94	1580.016	bushing	1
95	2800.003	cotter pin	1
96	771R.001	washer diam. 5,3	1
97	6230.069	pin	1
98	«-----»	ring	0
100	9373.005	fuel hose	1
101	9375.032	fuel hose mm 336	1
102	«-----»	fuel hose no longer avail.	0
103	8545.595	tank support	1
104	8103.269	fuel tank	1
105	3730.036	FUEL FILTER	1
106	2605.033	filter cover	1
107	1202.052	rubber oil seal	1
108	9043.025	FUEL TANK CAP	1
109	4650.056	gasket	1
110	1760.162	bolt	1
111	4580.001	gasket 0,10	1
111	4580.008	gasket 0,50	1
111	4580.012	gasket 0,30	1
111	4580.039	gasket 0,05	1
112	1240.013	snap ring	1
113	8102.093	fuel tank 1.5,2	1
114	«-----»	bolt M 8 X 1,25 X 55	0
116	4330.025	inj.pump rocker arm	1
117	«-----»	inj.rocker arm shaft	0
118	6045.073	rocker shaft	1
119	8901.080	pump support	1
120	6585.031	feed pump	1
121	9373.043	fuel hose(mm 635)	1
122	2175.045	fuel filter cartridge	1
123	4670.061	copper gasket diam.14	4
124	1901.032	union bolt M 14	2
125	8545.596	tank support	1


Group: 3LD

Engine: 3LD 450 Drawing: E

FUEL SYSTEM

POS.	CODE	DESCRIPTION	Qty
126	3730.096	fuel filter	1
127	8505.100	bracket	1
128	3617.197	fuel filter clamp	1
129	9375.856	fuel hose mm 1030	1
130	6495.023	drive rod	1
131	1901.030	union bolt M 10	1
132	4670.059	copper gasket diam.10	2
134	1901.030	union bolt M 10	1
135	7701.154	rubber washer	8

E
3LD



**LOMBARDINI**

A KOHLER COMPANY

Group: 3LD

Engine: 3LD 450 Drawing: D

CONTROLS/LUBRICATING SYSTEM

POS.	CODE	DESCRIPTION	Qty
1	1165.001	circlip	1
2	3240.004	nut M 5	1
3	6330.057	safety plate	1
4	5200.159	lever	1
5	7625.019	washer diam.10	1
6	2690.118	ACCELER.CONTROL (generating sets)	1
7	9820.086	screw	1
8	«-----»	see Pos. 38	0
9	5200.126	lever	1
10	5550.017	control spring	1
11	5680.092	spring	1
12	3240.008	nut M 6	2
13	1760.027	bolt M 6 X 1 X 40	1
15	1165.001	circlip	1
16	«-----»	washer diam. 3 - no longer avail.	1
18	6231.038	pin	1
19	1400.393	eXtended dipstick	1
20	9330.016	dipstick guard (gear side f.tank)	1
21	«-----»	dipstick on cyl.head	0
26	3200.015	wing nut	1
27	7626.054	washer diam. 5,3	1
32	6370.114	plate	1
33	9180.192	cable end	1
34	3240.019	nut M 8 alpha brass	1
35	9800.061	screw M 6 X 16	3
37	8420.012	locking needle	1
38	5201.107	counter lever (gen.sets)	1
39	7625.089	washer diam. 3,2	1
40	8420.012	locking needle	1
41	6140.013	pin	1
42	1165.006	circlip diam. 7	1
43	«-----»	see Pos. 48	0
44	1200.041	O ring 103/2018	1
45	«-----»	see Pos. 48	0
46	4700.070	gasket 0,25	1
47	5550.007	spring	1
48	2516.045	FUEL DEVICE CONTROL	1
49	1755.004	bolt M 5 X 0,8 X 18	1
50	6330.061	safety plate	1
51	«-----»	see Pos. D 52	0
52	4882.026	YOKE ASS.Y (generating sets)	1
53	5204.025	lever	1
54	«-----»	see Pos. 52	0
55	3030.051	ball bearing	2
58	3740.024	EXTERNAL OIL FILTER	1
62	2175.028	oil filter cartridge	1
63	8420.001	locking needle	1
64	1760.005	bolt M 6 X 1 X 16	2
65	7625.059	washer diam. 6,4	2
66	5200.159	lever	1
68	2690.123	cover	1
69	9820.109	fixing screw	1
70	1755.002	bolt M 5 X 0,8 X 12	1

Group: 3LD

Engine: 3LD 450 Drawing: D

CONTROLS/LUBRICATING SYSTEM

POS.	CODE	DESCRIPTION	Qty
71	«-----»	screw M 4 X 14	0
72	7625.007	washer diam. 6	1
73	«-----»	see Pos. 143	0
74	9245.165	tie rod	1
75	5200.254	lever	1
77	1760.029	bolt M 6 X 1 X 30	1
78	1400.363	dipstick	1
79	«-----»	lub.oil pump	0
79	4336.023	lub.oil pump (engine with feed pump)	1
80	9730.030	screw M 8 X 35	2
81	7625.010	washer diam. 8	2
82	9765.001	screw M 6 X 8	1
83	7625.010	washer diam. 8	1
84	3203.014	nut	1
85	4975.018	gear	1
87	9732.016	screw M 6 X 40	1
88	7565.004	washer diam. 6	2
90	7625.007	washer diam. 6	1
91	4670.058	copper gasket diam. 8,2X12X1,5	1
92	1770.001	bolt M 8 X 1,25 X 12	1
93	4730.021	gasket	1
94	3901.027	oil flange	1
95	8965.003	plug M 10	1
96	4670.060	copper gasket diam.12	1
98	9732.064	screw M 8 X 30	2
100	9730.100	screw M 8 X 25	2
103	2515.099	ACCELER. CONTROL	1
108	5830.119	nut	1
110	9790.037	screw M 6 X 8	2
112	1200.041	O ring 103/2018	1
113	5680.025	spring	1
114	1770.042	bolt M 8 X 1,25 X 10	1
115	7555.029	washer diam. 8	1
116	7865.111	control housing	1
118	1760.029	bolt M 6 X 1 X 30	1
119	4700.069	gasket	1
120	«-----»	lockpin	0
121	3203.050	selflocking nut M 6	1
122	1165.001	circlip	1
123	«-----»	washer diam. 3,25 - see Pos. D 148	1
125	5800.088	spring	1
126	6231.038	pin	1
127	4670.036	copper gasket diam.10	1
128	8965.032	oil drain plug M 12	1
129	4730.021	gasket	1
130	9732.092	screw M 8 X 18	2
131	4670.013	copper gasket diam.10	1
132	4600.090	gasket	1
133	6647.057	oil pan	1
134	7625.010	washer diam. 8	12
135	3902.044	oil filter flange	1
136	1760.006	bolt M 6 X 1 X 20	1
137	7625.059	washer diam. 6,4	1


Group: 3LD

Engine: 3LD 450 Drawing: D

CONTROLS/LUBRICATING SYSTEM

POS.	CODE	DESCRIPTION	Qty
138	3500.021	spacer	1
139	7625.059	washer diam. 6,4	1
140	9180.192	cable end	1
141	7625.061	washer diam. 8,4	2
142	3203.021	nut M 6	1
143	«-----»	LEVER ASS.Y - see Pos. D116	0
145	9730.312	screw M 6 X 35	1
146	8420.012	locking needle	1
147	6140.013	pin	1
148	4882.048	YOKE ASS.Y	1
148	8615.103	support	1
149	9320.082	pipe	1
151	5204.084	control lever	1
152	9180.191	adjuster M 6	1
153	3240.009	nut	1
154	8785.054	lever support	1
155	1557.021	retainer	1
156	6330.061	safety plate	1
157	1755.004	bolt M 5 X 0,8 X 18	1
158	1755.002	bolt M 5 X 0,8 X 12	1
159	5655.005	spring	1
161	«-----»	spring	0
163	1165.006	circlip diam. 7	1
164	9800.082	screw M 6 X 35	1
165	5111.075	tabwasher	1
166	4670.036	copper gasket diam.10	1
167	1901.046	union bolt M 10	1
168	1770.002	bolt M 8 X 1,25 X 16	12
169	6010.076	guard pad	1
170	5725.034	control stop spring (ENPI)	1

D
3LD



**LOMBARDINI**

A KOHLER COMPANY


Group: 3LD

Engine: 3LD 450 Drawing: Z

SHORT BLOCK

POS.	CODE	DESCRIPTION	Qty
1	«-----»	short block industrial version	0
1	1560.013	short block automotive version	1
1	1560.189	short block power mower version	1

Z
3LD



1560.013 3LD 450

1560.189 3LD 450
motofalciatrice/power mower

1560.070 3LD 450/S

1560.021 3LD 510

1560.014 3LD 450

1560.032 3LD 510